FMCSA CERTIFICATION SUMMARY



TABLE OF CONTENT

| IADLE OF CONTENT | | Aortic Valve Repair | 17 |
|----------------------------------------------|----|--------------------------------------------|----|
| | | Mitral Regurgitation | 18 |
| VISION | 4 | Mitral Stenosis | 18 |
| | | Post-Percutaneous Balloon Mitral Valvotomy | 18 |
| HEARING | 4 | Post-Surgical Commissurotomy | 19 |
| | | Mitral Valve Prolapse | 19 |
| CARDIOVASCULAR | 5 | Prosthetic Valves | 20 |
| Abdominal Aortic Aneurysm (AAA) | 5 | Pulmonary Valve Stenosis | 21 |
| Acute Deep Vein Thrombosis (DVT) | 5 | | |
| Chronic Thrombotic Venous Disease | 6 | | |
| Intermittent Claudication | 6 | HYPERTENSION | 22 |
| Aneurysms | 6 | Stage 1 Hypertension | 22 |
| Peripheral Vascular Disease (PVD) | 6 | Stage 2 Hypertension | 22 |
| Pulmonary Emboli | 7 | Stage 3 Hypertension | 23 |
| Superficial Phlebitis | 7 | Secondary Hypertension | 23 |
| Thoracic Aneurysm | 7 | | |
| Varicose Veins | 7 | | |
| Implantable Cardioveter-Defibrillators (ICD) | 8 | RESPIRATORY | 24 |
| Pacemakers | 8 | Antihistamine Therapy | 24 |
| Supraventricular Arrhythmias | 9 | Allergic Rhinitis | 24 |
| Ventricular Arrhythmias | 10 | Allergy-Related Life-Threatening Condition | 25 |
| Post-Acute Myocardial Infarction | 10 | Asthma | 25 |
| Angina PectorisStable Angina | 11 | Hypersensitivity Pneumonitis | 25 |
| CHD Risk factors | 11 | Chronic Obstructive Pulmonary Disease | 26 |
| Coronary Artery Bypass Grafting Surgery | 12 | Chronic Sleep Disorders | 26 |
| Heart Failure | 12 | Infectious Respiratory Diseases | 27 |
| Percutaneous Coronary Intervention | 13 | Atypical Tuberculosis | 27 |
| Congenital Heart Disease: Ebstein Anomaly | 13 | Pulmonary Tuberculosis | 28 |
| Heart Transplantation | 14 | Chest Wall Deformities | 28 |
| Hypertrophic Cardiomyopathy | 14 | Cystic Fibrosis | 29 |
| Restrictive Cardiomyopathy | 14 | Interstitial Lung Disease | 29 |
| Syncope | 14 | Pneumothorax | 29 |
| Aortic Regurgitation | 15 | Cor Pulmonale | 30 |
| Severe Aortic Regurgitation | 16 | Pulmonary Hypertension | 31 |
| | | | |

Aortic Stenosis.....

17

| NEUROLOGICAL | <i>32</i> | Metabolic Muscle Disease | 41 |
|-----------------------------------------------------|-----------|-------------------------------------------------------|----|
| Anticonvulsant Therapy | <i>32</i> | Motor Neuron Disease | 41 |
| Anticoagulant Therapy | <i>32</i> | Neuromuscular Junction Disorders | 41 |
| Acute seizures: structural insult to the brain | 33 | | |
| Acute seizures: systemic metabolic illness | 33 | | |
| Childhood febrile seizures | 34 | DIABETES MELLITUS | 42 |
| Epilepsy | 34 | Nephropathy | 42 |
| Headaches | 34 | Incretin Mimetic Therapy | 43 |
| Single Unprovoked Seizure | 35 | Insulin Therapy | 43 |
| Vertigo and Dizziness | 35 | Oral Hypoglycemics | 44 |
| Infections of the Central Nervous System | 35 | | |
| Autonomic Neuropathy | 36 | | |
| Conditions Associated with Abnormal Muscle Activity | 36 | OTHER DISEASES | 44 |
| Congenital Myopathies | 36 | Hernia | 44 |
| Metabolic Muscle Diseases | 36 | | |
| Motor Neuron Diseases | 37 | | |
| Muscular Dystrophies | 37 | PSYCHOLOGICAL | 45 |
| Neuromuscular Junction Disorders | 37 | Adult Attention Deficit Hyperactivity Disorder (ADHD) | 45 |
| Peripheral Neuropathies | 37 | Bipolar Mood Disorder | 45 |
| Central Nervous System Tumors | 37 | Major Depression | 46 |
| Dementia | 38 | Personality Disorders | 46 |
| Embolic and Thrombotic Strokes | 38 | Schizophrenia and Related Psychotic Disorders | 47 |
| Intracerebral and Subarachnoid Hemorrhages | 38 | Antipsychotic Therapy | 47 |
| Transient Ischemic Attack | 39 | Electroconvulsive Therapy (ECT) | 48 |
| Traumatic Brain Injury (TBI) | 39 | Anxiolytic and Sedative Hypnotic Therapy | 48 |
| | | Antidepressant Therapy | 49 |
| | | Lithium Therapy | 49 |
| MUSCULOSKELETAL | 40 | Central Nervous System Stimulant Therapy | 49 |
| Fixed Deficit of an Extremity | 40 | | |
| Autonomic Neuropathy | 40 | DRUG ABUSE AND ALCOHOL | 50 |
| Condition associated with abnormal muscle activity | 40 | Alcoholism | 50 |
| Congenital Myopathies | 41 | Drug Abuse | 50 |
| J , , | | νιαγ πρασε | 20 |

| Vision | | |
|------------------------------------------------------------------------------------|--------------------|----------------------|
| Condition | Waiting period | Certification Period |
| Has distant visual acuity and distant binocular acuity of at least 20/40 (Snellen) | | Maximum two years |
| Field of vision at least 70 meridian in each eye | | Maximum two years |
| Ability to recognize colors of traffic signals | | Maximum two years |
| Driver has monocular and applies for Federal Vision Exemption | | Maximum one year |
| Hearing | | |
| Condition | Waiting period | Certification Period |
| Benign positional vertigo | Minimum two months | Maximum two years |
| Acute and chronic peripheral vestibulopathy | Minimum two months | Maximum two years |
| Uncontrolled vertigo | | Do not certify |
| Meniere's Disease | | Do not certify |
| Labyrinthine Fistula | | Do not certify |
| Nonfuncitoning Fistula | | Do not certify |

| Cardiovascular | | | |
|-------------------------------------------------------------------------------------------------------------|----------------------|----------------------|--|
| Condition | Waiting period | Certification Period | |
| No current diagnosis of Myocardial Infarction, Angina Pectoris, Coronary Insufficiency, or Thrombosis | | Maximum two years | |
| Abdominal Aortic Aneurysm (AAA) | | | |
| Condition | Waiting period | Certification Period | |
| AAA is <4 cm; driver is asymptomatic | | One year | |
| AAA is >4 cm and <5cm; driver is asymptomatic | | One year | |
| AAA is surgically repaired | Minimum three months | One year | |
| AAA symptoms present with driver | | Do not certify | |
| AAA is recommended for surgical repair | | Do not certify | |
| AAA is >4 cm and <5cm; does not have medical clearance | | Do not certify | |
| AAA has increased by more than 0.5 cm during a 6 month period. | | Do not certify | |
| Acute Deep Vein Thrombosis (DVT) | | | |
| Condition | Waiting period | Certification Period | |
| No residual, acute DVT | | One year | |
| Ineffectively treated DVT | | Do not certify | |
| | | | |

| Chronic Thrombotic Venous Disease | | | | |
|-------------------------------------------------------------------------------------------|-----------------------------------|----------------------|--|--|
| Condition | Waiting period | Certification Period | | |
| Has no symptoms | | Two years | | |
| Condition endanger the health and safety of the driver and the public | | Do not certify | | |
| Intermittent Claudication | | | | |
| Condition | Waiting period | Certification Period | | |
| Surgery provides relief of symptoms | Minimum three months | Maximum One year | | |
| Driver has pain at rest | | Do not certify | | |
| Aneurysms | | | | |
| Condition | Waiting period | Certification Period | | |
| Surgical repair of aneurysm and meets guidelines | Minimum three months | One year | | |
| Drive is recommended for surgical repair of aneurysm but procedure has not been performed | | Do not certify | | |
| Peripheral Vascular Disease (PVD) | Peripheral Vascular Disease (PVD) | | | |
| Condition | Waiting period | Certification Period | | |
| No other cardiovascular disease | Minimum three months | One year | | |
| Driver has pain at rest | | Do not certify | | |
| Drive is recommended for surgical repair of aneurysm; procedure has not been performed | | Do not certify | | |

| Pulmonary Emboli | | | | |
|---------------------------------------------------------------------------------|----------------------|----------------------|--|--|
| Condition | Waiting period | Certification Period | | |
| Appropriate long term treatment | Minimum three months | One year | | |
| No other disqualifying cardiovascular disease | | One year | | |
| Symptoms are present | | Do not certify | | |
| Superficial Phlebitis | | | | |
| Condition | | Certification Period | | |
| Driver is medically qualified | | Two years | | |
| Coexisting DVT | | Do not certify | | |
| Thoracic Aneurysm | Thoracic Aneurysm | | | |
| Condition | Waiting period | Certification Period | | |
| Aneurysm less than 3.5 cm | | One year | | |
| Surgically repaired aneurysm | Minimum three months | One year | | |
| Aneurysm greater than 3.5 cm | | Do not certify | | |
| Varicose Veins | | | | |
| Condition | Waiting period | Certification Period | | |
| No complications exist | | Two years | | |
| Severity of the condition endangers the health and safety driver and the public | | Do not certify | | |

| Implantable Cardioveter-Defibrillators (ICD) | | | |
|----------------------------------------------------------------------------------|----------------------|----------------------|--|
| Condition | Waiting period | Certification Period | |
| Driver has ICD | | Do not certify | |
| Driver has ICD/pacemaker combination device | | Do not certify | |
| Pacemakers | | | |
| Condition | Waiting period | Certification Period | |
| Post- pacemaker implant for sinus node dysfunction | Minimum one month | Maximum one year | |
| Post-pacemaker implant for AV block | Minimum one month | Maximum one year | |
| Post-pacemaker implant for Neurocardiogenic syncope | Minimum three months | Maximum one year | |
| Post-pacemaker implant for Hypersensitive carotid sinus with syncope | Minimum three months | Maximum one year | |
| Driver has documentation indicating the presence of a functioning pacemaker | | Maximum one year | |
| Driver has documentation indicating the completion fo routine pacemaker checks | | Maximum one year | |
| No disqualifying disease | | Maximum one year | |
| Driver has an implantable cardiac defibrillator/ pacemaker combination device | | Do not certify | |
| Driver has an underlying disease | | Do not certify | |

| Supraventricular Arrhythmias | | | |
|-------------------------------------------------------------------------------------------------------------|-------------------|----------------------|--|
| Condition | Waiting period | Certification Period | |
| Anticoagulated adequately with diagnosis of atrial fibrillation | Minimum one month | Maximum one year | |
| Anticoagulated adequately following thoracic surgery | Minimum one month | Maximum one year | |
| Post-isthmus ablation and diagnosis is atrial flutter | Minimum one month | Maximum one year | |
| Asymptomatic with Atrioventricular nodal reentrant tachycardia diagnosis | Minimum one month | Maximum one year | |
| Asymptomatic with Atrioventricular nodal reentrant tachycardia and Wolff-Parkinson-White syndrome diagnosis | Minimum one month | Maximum one year | |
| Asymptomatic with Atrial tachycardia diagnosis | Minimum one month | Maximum one year | |
| Junctional tachycardia | Minimum one month | Maximum one year | |
| Driver has controlled heartbeat | | Maximum one year | |
| Treatment for prevention of emboli that is effective and tolerated | | Maximum one year | |
| No underlying disease that is disqualifying | | Maximum one year | |
| Condition causes loss of consciousness | | Do not certify | |
| Compromised cerebral function | | Do not certify | |
| Sudden death resuscitation | | Do not certify | |

| Ventricular Arrhythmias | | |
|------------------------------------------------------------------------|--------------------|----------------------|
| Condition | Waiting period | Certification Period |
| Drug or other therapy and diagnosis is Coronary heart disease | Minimum one month | Maximum one year |
| Drug or other therapy and diagnosis is Right Ventricular outflow VT | Minimum one month | Maximum one year |
| Drug or other therapy and diagnosis is Idiopathic left ventricular VT | Minimum one month | Maximum one year |
| Driver is asymptomatic | | Maximum one year |
| Has an identified non-disqualifying cardiac cause | | Maximum one year |
| Drive is symptomatic | | Do not certify |
| Has sustained VT | | Do not certify |
| Has NSVT, LVEF less than 0.40 | | Do not certify |
| Has a diagnosis of Hypertrophic cardiomyopathy | | Do not certify |
| Has a diagnosis of Long QT interval syndrome | | Do not certify |
| Has a diagnosis of Brugada syndrome | | Do not certify |
| Post-Acute Myocardial Infarction | | |
| Condition | Waiting period | Certification Period |
| Driver is asymptomatic | Minimum two months | Maximum one year |
| Driver tolerates medications | Minimum two months | Maximum one year |
| Driver has satisfactory exercise tolerance test (ETT) | Minimum two months | Maximum one year |

| Post-Acute Myocardial Infarction continue | | | |
|---------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------------|--|
| Has a resting left ventricular ejection fraction (LVEF) greater than or equal to 40% | Minimum two months | Maximum one year | |
| Rest angina or change in angina pattern within 3 months of examination | | Do not certify | |
| Ischemic changes on rest electrocardiogram | | Do not certify | |
| Intolerance to cardiovascular therapy | | Do not certify | |
| Angina PectorisStable Angina | | | |
| Condition | Waiting period | Certification Period | |
| Driver has stable angina | Minimum 3 months | Maximum one year | |
| Driver is asymptomatic | Minimum 3 months | Maximum one year | |
| Drive tolerates medications | Minimum 3 months | Maximum one year | |
| Has satisfactory exercise tolerance test (ETT) | Minimum 3 months | Maximum one year | |
| Unstable angina is present within 3 months examination | | Do not certify | |
| CHD Risk factors | | | |
| Condition | Waiting period | Certification Period | |
| Nature and severity of the medical condition of the driver does not endanger the health and safety of the driver and the public | | Maximum one year | |
| Nature and severity of the medical condition of the driver endangers the health and safety of the driver and the public | | Do not certify | |

| Coronary Artery Bypass Grafting Surgery | | | |
|-------------------------------------------------------------------------------------|----------------------|----------------------|--|
| Condition | Waiting period | Certification Period | |
| Driver is asymptomatc | Minimum three months | Maximum one year | |
| Tolerates cardiovascular medications with no orthostatic symptoms | Minimum three months | Maximum one year | |
| Has a LVEF greater than or equal to 40% | Minimum three months | Maximum one year | |
| Has a healed sternum | Minimum three months | Maximum one year | |
| Driver is symptomatic | | Do not certify | |
| Driver has orthostatic symptom sides effects from cardiovascular medication | | Do not certify | |
| Has LVEF less than 40% | | Do not certify | |
| Has sternum that has not healed | | Do not certify | |
| Heart Failure | | | |
| Condition | Waiting period | Certification Period | |
| Driver is asymptomatic | | Maximum one year | |
| Driver tolerates medication | | Maximum one year | |
| Driver ETT results greater than 6 METs | | Maximum one year | |
| Has a LVEF greater than or equal to 40% | | Maximum one year | |
| Has symptomatic HF | | Do not certify | |
| Is asymptomatic with LVEF less than or equal to 50% and has ventricular arrhythmias | | Do not certify | |

| Percutaneous Coronary Intervention | | |
|------------------------------------------------------------|------------------|----------------------|
| Condition | Waiting period | Certification Period |
| Post procedure | Minimum one week | Maximum one year |
| Driver is asymptomatic | | Maximum one year |
| Driver tolerates medications | | Maximum one year |
| Drive has no injury to the vascular access site | | Maximum one year |
| Incomplete healing or complication at vascular access site | | Do not certify |
| Angina at rest | | Do not certify |
| Ischemic Electrocardiogram (ECG) changes | | Do not certify |
| Congenital Heart Disease: Ebstein Anomaly | | |
| Condition | Waiting period | Certification Period |
| Driver is asymptomatic | | Maximum one year |
| Driver has mile tricuspid anomaly | | Maximum one year |
| Driver has mild cardiac enlargement | | Maximum one year |
| Driver has mild right ventricular dysfunction | | Maximum one year |
| Moderate or severe anomaly | | Do not certify |
| Intracardiac lesion | | Do not certify |
| Driver has a shunt | | Do not certify |
| Driver has symptomatic arrhythmia | | Do not certify |
| Driver has accessory conduction pathway | | Do not certify |

| Heart Transplantation | | |
|----------------------------------------------------------------------------------------------------------------|------------------|----------------------|
| Condition | Waiting period | Certification Period |
| Post transplant | Minimum one year | Maximum six months |
| Driver is asymptomatic | | Maximum six months |
| Driver tolerates medications | | Maximum six months |
| Driver has no signs of transplant rejection | | Maximum six months |
| The nature and severity of the medical condition endangers the health and safety of the driver and the public. | | Do not certify |
| Hypertrophic Cardiomyopathy | | |
| Condition | Waiting period | Certification Period |
| Positive diagnosis | | Do not certify |
| Restrictive Cardiomyopathy | | |
| Condition | Waiting period | Certification Period |
| Positive diagnosis | | Do not certify |
| Syncope | | |
| Condition | Waiting period | Certification Period |
| The driver has been treated for symptomatic disease | | Maximum one year |
| Driver is asymptomatic | | Maximum one year |

| Syncope continue | | |
|------------------------------------------------------------------------------------------------------|----------------|----------------------|
| Driver tolerates medications | | Maximum one year |
| Driver is at low risk for syncope/near syncope | | Maximum one year |
| Driver experiences syncope as consequence of a disease process | | Do not certify |
| Driver is at high risk for syncope/near synocpe, regardless of the underlying heart disease | | Do not certify |
| Aortic Regurgitation | | |
| Condition | Waiting period | Certification Period |
| Mild Aortic regurgitation; asymptomatic | | Maximum one year |
| Moderate Aortic regurgitation; normal LV funtion | | Maximum one year |
| Driver has symptoms | | Do not certify |
| Driver has moderate aortic regurgitation with abnormal LV function | | Do not certify |
| Echocardiography repeated ever 2 to 3 years when certified with mild or moderate aortic regurgitaion | | Do not certify |

| Severe Aortic Regurgitation | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|----------------------|
| Condition | Waiting period | Certification Period |
| Post-aortic valve repair | Minimum three months | |
| Not surgically repaired and the driver has: No symptoms. Normal LV function. LV dilatation: LV end-diastolic dimension (LVEDD) less than or equal to 60 mm. LV end-systolic dimension (LVESD) less than or equal to 50 mm. The driver who has had surgical repair for severe aortic regurgitation and meets guidelines for post-aortic valve repair may be recertified for 1 year. | | Maximum six months |
| Post-aortic valve repair and the driver has: No symptoms. Normal LV function. LV dilatation: LV end-diastolic dimension (LVEDD) less than or equal to 60 mm. LV end-systolic dimension (LVESD) less than or equal to 50 mm. The driver who has had surgical repair for severe aortic regurgitation and meets guidelines for post-aortic valve repair may be recertified for 1 year. | | Maximum one year |
| Driver is symptomatic | | Do not certify |
| Driver is unable to achiever workload greater than 6 METS on Bruce protocol | | Do not certify |

| Severe Aortic Regurgitation continue | | |
|-----------------------------------------------------|----------------------|----------------------|
| Driver has reduced LVEF <50% | | Do not certify |
| Has LV dilation LVEDD >70mm or LVESD >55mm | | Do not certify |
| | | |
| Aortic Stenosis | | |
| Condition | Waiting period | Certification Period |
| Post surgical repair | Three months | Maximum one year |
| Asymptomatic mild aortic stenosis | | Maximum one year |
| Asymptomatic moderate aortic stenosis | | Maximum one year |
| Surgically repaired severe aortic stenosis | | Maximum one year |
| Angina | | Do not certify |
| Heart Failure | | Do not certify |
| Atrial fibrillation | | Do not certify |
| Left ventricular dysfunction; ejection fraction<50% | | Do not certify |
| Thromboembolism | | Do not certify |
| Severe aortic stenosis | | Do not certify |
| Aortic Valve Repair | | |
| Condition | Waiting period | Certification Period |
| Post Aortic Valve Repair | Minimum three months | Maximum one year |
| Thromboembolic complications | | Do not certify |

| Mitral Regurgitation | | |
|--------------------------------------------------------------------------------------------------------------------|--------------------|----------------------|
| Condition | Waiting period | Certification Period |
| Post- surgical commisurotomy | Minimum 3 months | Maximum one year |
| Asymptomatic mild or moderate mitral regurgitation, normal LV size and function, normal pulmonary artery pressure. | | Maximum one year |
| Asymptomatic severe mitral regurgitation | | Maximum one year |
| Mitral Stenosis | | |
| Condition | Waiting period | Certification Period |
| Post-percutaneous balloon mitral valvotomy | Minimum 4 weeks | Maximum one year |
| Post-surgical commissurotomy | Minimum 3 months | Maximum one year |
| Asymptomatic mild mitral stenosis | | Maximum one year |
| Asymptomatic moderate mitral stenosis | | Maximum one year |
| Severe mitral stenosis and a clearance from a cardiovascular specialist | | Maximum one year |
| Unsuccessfully treated severe Mitral Stenosis | | Do not certify |
| Post-Percutaneous Balloon Mitral Valvotomy | | |
| Condition | Waiting Period | Certification Period |
| Driver is asymptomatic | Minimum four weeks | Maximum one year |
| Has clearance from a cardiovascular specialist | Minimum four weeks | Maximum one year |
| Driver has no thromboembolic complications | Minimum four weeks | Maximum one year |
| Driver has no pulmonary hypertension | Minimum four weeks | Maximum one year |

| Post-Percutaneous Balloon Mitral Valvotomy continue | | |
|----------------------------------------------------------------------------------------------|------------------|----------------------|
| Thromboembolic complications | | Do not certify |
| Pulmonary hypertension | | Do not certify |
| Post-Surgical Commissurotomy | | |
| Condition | Waiting Period | Certification Period |
| Driver is asymptomatic | Minimum 3 months | Maximum one year |
| Has clearance from a cardiovascular specialist | Minimum 3 months | Maximum one year |
| No thromboembolic complications | Minimum 3 months | Maximum one year |
| No pulmonary hypertension | Minimum 3 months | Maximum one year |
| Thrombolic complications | | Do not certify |
| Pulmonary hypertension | | Do not certify |
| Mitral Valve Prolapse | | |
| Condition | Waiting Period | Certification Period |
| Severity of the condition does not endanger the health and safety of the drive or the public | | Maximum one year |
| Has symptoms or reduced effort | | Do not certify |
| Ruptured or chordate or flail leaflet | | Do not certify |
| Systemic emboli | | Do not certify |
| Atrial fibrillation | | Do not certify |
| Syncope or ventricular tachycardia | | Do not certify |

| Mitral Valve Prolapse continue | | |
|------------------------------------------------|----------------------|----------------------|
| Sever mitral regurgitation or LV dysfunction | | Do not certify |
| Post-Mitral Valve repair | Minimum 3 months | Maximum one year |
| | | |
| Prosthetic Valves | | |
| Condition | Waiting Period | Certification Period |
| Post-Prosthetic Valve Replacement | Minimum three months | Maximum one year |
| Driver is asymptomatic | | Maximum one year |
| Has clearance from a cardiovascular specialist | | Maximum one year |
| Persistent symptoms | | Do not certify |
| LV dysfunction with EF of <40% | | Do not certify |
| Thromboembolic complications | | Do not certify |
| Atrial fibrillation | | Do not certify |
| Pulmonary hypertension | | Do not certify |
| Inadequate anticoagulation | | Do not certify |
| | | |
| | | |
| | | |
| | | |
| | | |

| Pulmonary Valve Stenosis | | |
|----------------------------------------------------------------------------------------------------|----------------------|----------------------|
| Condition | Waiting Period | Certification Period |
| Post-Balloon valvuloplasty | Minimum one month | Maximum one year |
| Post-Surgical valvotomy | Minimum three months | Maximum one year |
| Symptoms of dyspnea, palpitations, or syncope. | | Do not certify |
| Pulmonary valve peak gradient greater than 50 mm Hg in the presence of a normal cardiac output. | | Do not certify |
| Right ventricular pressure greater than 50% systemic pressure. | | Do not certify |
| More than mild right ventricular hypertrophy or dysfunction noted by echocardiography. | | Do not certify |
| More than moderate pulmonary valve regurgitation noted by echocardiography. | | Do not certify |
| Main pulmonary artery diameter more than 5 cm noted by echocardiography or other imaging modality. | | Do not certify |

| Hypertension | | |
|--------------------------------------------------------------------------------------------------|----------------|---------------------------|
| Stage 1 Hypertension | | |
| Condition | Waiting Period | Certification Period |
| No history of hypertension | | Maximum one year |
| No use of antihypertensive medication | | Maximum one year |
| Driver has a one year certificate for untreated stage 1 hypertension | | Maximum 3 months |
| No prescription for antihypertensive medication | | Maximum 3 months |
| Driver has a one-time, three-month certificate for elevated Burke Properties >140/90 | | Do not certify |
| A history of Stage 3 hypertension and Burke Properties >140/90 | | Do not certify |
| BP > 180/110 | | Do not certify |
| Stage 2 Hypertension | | |
| Condition | Waiting Period | Certification Period |
| BP of >160/100 but <180/110; no history of hyptertension; no use of antihypertensive medications | | One time for three months |
| Driver has a one-time, three-month certificate and BP greater than 140/90 | | Do not certify |
| History of stage 3 hypertension and BP >140/90 | | Do not certify |
| BP >180/110 | | Do not certify |

| Stage 3 Hypertension | | |
|-------------------------------------------------------------------------------------------------------|----------------|----------------------|
| Condition | Waiting Period | Certification Period |
| History of Stage 3 hypertension | | Maximum of 6 months |
| BP of 180/110 or greater | | Do not certify |
| Secondary Hypertension | | |
| Condition | Waiting Period | Certification Period |
| Post-surgical correction; BP <140/90 | Three months | Maximum one year |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Do not certify |

| Respiratory | | |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------|----------------------|
| Antihistamine Therapy | | |
| Condition | Waiting Period | Certification Period |
| Treatment does not endanger the health and safety of the driver and the public | Abstain for 12 hours before vehicle operation | Maximum two years |
| Treatment interferes with driving ability | | Do not certify |
| Allergic Rhinitis | | |
| Condition | Waiting Period | Certification Period |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Maximum two years |
| Severe conjunctivitis affecting vision | | Do not certify |
| Inability to keep eyes open | | Do not certify |
| Photophobia | | Do not certify |
| Uncontrollable sneezing fits | | Do not certify |
| Sinusitis with severe headaches | | Do not certify |
| Medications that cause sedation or other side effects | | Do not certify |

| Allergy-Related Life-Threatening Conditions | | |
|-------------------------------------------------------------------------------------------------------|----------------|----------------------|
| Condition | Waiting Period | Certification Period |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Maximum two years |
| There is no effective treatment regimen | | Do not certify |
| There is no successful preventive measures | | Do not certify |
| Asthma | | |
| Condition | Waiting Period | Certification Period |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Maximum two years |
| Continual, uncontrolled, symptomatic asthmas | | Do not certify |
| Significant impairment of pulmonary function | | Do not certify |
| Hypersensitivity Pneumonitis | | |
| Condition | Waiting Period | Certification Period |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Maximum two years |
| Medical condition of the driver endangers the health and safety of the driver and the public. | | Do not certify |

| Chronic Obstructive Pulmonary Disease | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|----------------------|
| Condition | Waiting Period | Certification Period |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Maximum two years |
| Hypoxemia at rest | | Do not certify |
| Chronic respiratory failure | | Do not certify |
| History of continuing cough with cough syncope | | Do not certify |
| Chronic Sleep Disorders | | |
| Beginning CPAP | Minimum one month | Maximum one year |
| Post surgical treatment | Minimum three months | Maximum one year |
| Successful nonsurgical therapy with: Multiple sleep latency testing values within the normal range. Resolution of apneas confirmed by repeated sleep study during treatment. Continuous successful nonsurgical therapy for 1 month. Compliance with continuing nonsurgical therapy. Resolution of symptoms following completion of post-surgical waiting period. | | Maximum one year |

| Chronic Sleep Disorders continue | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------------|
| The driver has: Hypoxemia at rest. Untreated symptomatic OSA. Narcolepsy. Primary (idiopathic) alveolar hypoventilation syndrome. Idiopathic central nervous system hypersomnolence. Restless leg syndrome associated with EDS. | | Do not certify |
| Infectious Respiratory Diseases | | |
| Condition | Waiting Period | Certification Period |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Maximum two years |
| Medical condition of the driver endangers the health and safety of the driver and the public. | | Do not certify |
| Atypical Tuberculosis | | |
| Condition | Waiting Period | Certification Period |
| Disease remains relatively stable, there is normal lung function | | Maximum two years |
| Extensive pulmonary dysfunction | | Do not certify |
| Weakness and Fatigue | | Do not certify |
| Adverse reaction to medical treatment | | Do not certify |

| Pulmonary Tuberculosis | | |
|-------------------------------------------------------------------------------------------------------|----------------|----------------------|
| Condition | Waiting Period | Certification Period |
| Driver is no longer contagious | | Maximum two years |
| Streptomycin therapy is complete without affecting hearing or balance | | Maximum two years |
| Compliant with antitubercular therapy | | Maximum two years |
| Advance TB with respiratory insufficiency | | Do not certify |
| Chronic TB | | Do not certify |
| Non compliance with antitubercular or streptomycin therapy | | Do not certify |
| Residual eighth cranial nerve damage affecting balance or hearing | | Do not certify |
| Chest Wall Deformities | | |
| Condition | Waiting Period | Certification Period |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Maximum two years |
| Hypoxemia at rest | | Do not certify |
| Chronic respiratory failure | | Do not certify |
| Continuing cough with cough syncope | | Do not certify |

| Cystic Fibrosis | | |
|-------------------------------------------------------------------------------------------------------|----------------|----------------------|
| Condition | Waiting Period | Certification Period |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Maximum two years |
| Hypoxemia at rest | | Do not certify |
| Chronic respiratory failure | | Do not certify |
| Continuing cough with cough syncope | | Do not certify |
| Not met spirometry parameters | | Do not certify |
| Condition unstable | | Do not certify |
| Interstitial Lung Disease | | |
| Condition | Waiting Period | Certification Period |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Maximum two years |
| Hypoxemia at rest | | Do not certify |
| Chronic respiratory failure | | Do not certify |
| Continuing cough with cough syncope | | Do not certify |
| Pneumothorax | | |
| Condition | Waiting Period | Certification Period |
| Asymptomatic without chest pain or shortness of breath | | Maximum two years |
| No disqualifying underlying disease | | Maximum two years |

| Pneumothorax continue | | |
|--------------------------------------------------------------------------------------------------------------------------|----------------|----------------------|
| Confirmed resolution of the single spontaneous pneumothorax | | Maximum two years |
| Successful pleurodesis and meets acceptable pulmonary parameters | | Maximum two years |
| Not met certification parameters | | Do not certify |
| Two or more spontaneous pneumothoraces on one side; no successful surgical procedure has been done to prevent recurrence | | Do not certify |
| Hypoxemia at rest | | Do not certify |
| Chronic respiratory failure | | Do not certify |
| Continuing cough with cough syncope | | Do not certify |
| Cor Pulmonale | | |
| Condition | Waiting Period | Certification Period |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Maximum two years |
| Dyspnea at rest | | Do not certify |
| Dizziness | | Do not certify |
| Hypotension | | Do not certify |
| Partial pressure of arterial oxygen (PaO arterial blood greater than 65 millimeters of mercury (mm Hg). | | Do not certify |

| Pulmonary Hypertension | | |
|---------------------------------------------------------------------------------------------------------|----------------|----------------------|
| Condition | Waiting Period | Certification Period |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Maximum one year |
| Dyspnea at rest | | Do not certify |
| Dizziness | | Do not certify |
| Hypotension | | Do not certify |
| Partial pressure of arterial oxygen (PaO arterial blood greater than 65 millimeters of mercury (mm Hg). | | Do not certify |

| Neurological | | |
|-------------------------------------------------------------------------------------------------------|-------------------|----------------------|
| Anticonvulsant Therapy | | |
| Condition | Waiting Period | Certification Period |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Maximum two years |
| Anticonvulsant medications are used to control or prevent seizures | | Do not certify |
| Anticoagulant Therapy | | |
| Condition | Waiting Period | Certification Period |
| Stabilized on medication | Minimum one month | Maximum one year |
| Has monthly INR monitoring | | Maximum one year |
| Unmonitored INR | | Do not certify |
| INR is not therapeutic | | Do not certify |
| Presence of underlying neurological condition | | Do not certify |

| Acute seizures: structural insult to the brain | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------------|
| Condition | Waiting Period | Certification Period |
| Seizure free and off anticonvulsant medication: Mild insult without early seizures. Stroke without risk for seizures. Intracerebral or subarachnoid hemorrhage without risk for seizures. | Minimum one year | Maximum one year |
| Seizure free and off anticonvulsant medication: • Moderate insult without early seizures. • Mild insult with early seizures | Minimum two years | Maximum one year |
| Seizure free and off anticonvulsant medication: Moderate insult with early seizures. Stroke with risk for seizures. Intracerebral or subarachnoid hemorrhage with risk for seizures. | Minimum five years | Maximum one year |
| Not completed minimum waiting period seizure and anticonvulsant medication free | | Do not certify |
| Does not have clearance from a neurologist | | Do not certify |
| Acute seizures: systemic metabolic illness | | |
| Condition | Waiting Period | Certification Period |
| Underlying systemic metabolic dysfunction has been corrected | | Maximum two years |
| Driver has no disqualifying risk of recurrence of the primary condition | | Maximum two years |
| Medical condition of the driver endangers the health and safety of the driver and the public. | | Do not certify |

| Childhood febrile seizures | | |
|-------------------------------------------------------------------------------------------------------|------------------|----------------------|
| Condition | Waiting Period | Certification Period |
| History of seizures is limited to childhood | | Maximum two years |
| Medical condition of the driver endangers the health and safety of the driver and the public. | | Do not certify |
| Epilepsy | | |
| Condition | Waiting Period | Certification Period |
| Off of anticonvulsant medication and seizure | Minimum 10 years | Maximum two years |
| Clinical diagnosis or medical history of epilepsy | | Do not certify |
| Driver takes anticonvulsant medication because of a medical history of seizures | | Do not certify |
| Headaches | | |
| Condition | Waiting Period | Certification Period |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Maximum two years |
| Medical condition of the driver endangers the health and safety of the driver and the public. | | Do not certify |

| Single Unprovoked Seizure | | |
|-------------------------------------------------------------------------------------------------------|--------------------|----------------------|
| Condition | Waiting Period | Certification Period |
| Driver is off anticonvulsant medication and has clearance from a neurologist specializing in epilepsy | Minimum five years | Maximum one year |
| Vertigo and Dizziness | | |
| Condition | Waiting Period | Certification Period |
| Benign positional vertigo; symptom free | Minimum two months | Maximum two years |
| Acute and chronic peripheral vestibulopathy | Minimum two months | Maximum two years |
| Medical condition of the driver endangers the health and safety of the driver and the public. | | Maximum two years |
| Benign positional vertigo; has been symptomatic | | Do not certify |
| Meniere's disease | | Do not certify |
| Labynnithine fistula | | Do not certify |
| Nonfunctioning labynniths | | Do not certify |
| Infections of the Central Nervous System | | |
| Condition | Waiting Period | Certification Period |
| Bacterial meningitis without early seizures | Minimum one year | Maximum two years |
| Viral encephalitis without early seizures | Minimum one year | Maximum two years |
| Bacterial meningitis with early seizures | Minimum five years | Maximum two years |
| Viral encephalitis with early seizures | Minimum ten years | Maximum two years |
| CNS infection is present | | Do not certify |

| Autonomic Neuropathy | | |
|-------------------------------------------------------------------------------------------------------|----------------|----------------------|
| Condition | Waiting Period | Certification Period |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Maximum two years |
| Presence of cardiovascular autonomic neuropathy | | Do not certify |
| Conditions Associated with Abnormal Muscle | Activity | |
| Condition | Waiting Period | Certification Period |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Maximum two years |
| Diagnosis of Myotonia, Isaac's syndrome, or Stiffman syndrome | | Do not certify |
| Congenital Myopathies | | |
| Condition | Waiting Period | Certification Period |
| Any diagnosis of Congenital Myopathy | | Do not certify |
| Metabolic Muscle Diseases | | |
| Condition | Waiting Period | Certification Period |
| Any diagnosis of Metabolic Muscle Disease | | Do not certify |

| Motor Neuron Diseases | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------------|
| Condition | Waiting Period | Certification Period |
| Any diagnosis of Motor Neuron Disease | | Do not certify |
| Muscular Dystrophies | | |
| Condition | Waiting Period | Certification Period |
| Any diagnosis of Muscular Dystrophy | | Do not certify |
| Neuromuscular Junction Disorders | | |
| Condition | Waiting Period | Certification Period |
| Any diagnosis of Neuromuscular Junction Disorders | | Do not certify |
| Peripheral Neuropathies | | |
| Condition | Waiting Period | Certification Period |
| Any diagnosis of Peripheral Neuropathy | | Do not certify |
| Central Nervous System Tumors | | |
| Condition | Waiting Period | Certification Period |
| Post-surgical removal of: Infratentorial meningiomas. Acoustic neuromas. Pituitary adenomas. Spinal benign tumors. Benign extra-axial tumors. | Minimum one year | Maximum one year |
| Post-surgical removal of: Benign supratentorial tumors. Spinal tumors. | Minimum two years | Maximum one year |

| Central Nervous System Tumors continue | | |
|-----------------------------------------------------------|--------------------|----------------------|
| Driver has primary or metastatic malignant | | Do not certify |
| tumors or benign nervous system tumors | | Do not certify |
| Dementia | | |
| Condition | Waiting Period | Certification Period |
| Any diagnosis of dementia | | Do not certify |
| Embolic and Thrombotic Strokes | | |
| Condition | Waiting Period | Certification Period |
| Not at risk for seizures | Minimum one year | Maximum one year |
| At risk for seizures | Minimum five years | Maximum one year |
| Use of oral anticoagulant | | Do not certify |
| Use of any drug that may have high rates of complications | | Do not certify |
| Presence of residual intellectual or physical impairments | | Do not certify |
| Intracerebral and Subarachnoid Hemorrhage | 25 | |
| Condition | Waiting Period | Certification Period |
| Not at risk for seizures | Minimum one year | Maximum one year |
| At risk for seizures | Minimum five years | Maximum one year |
| Use of oral anticoagulant | | Do not certify |
| Use of any drug that may have high rates of complications | | Do not certify |

| Intracerebral and Subarachnoid Hemorrhages continue | | |
|-----------------------------------------------------------|--------------------|----------------------|
| Presence of residual intellectual or physical impairments | | Do not certify |
| Transient Ischemic Attack | | |
| Condition | Waiting Period | Certification Period |
| Any Transient Ischemic Attack | Minimum one year | Maximum one year |
| Use of oral anticoagulant | | Do not certify |
| Use of any drug that may have high rates of complications | | Do not certify |
| Traumatic Brain Injury (TBI) | | |
| Condition | Waiting Period | Certification Period |
| Moderate TBI without early seizures | Minimum two years | Maximum one year |
| Mild TBI with early seizures | Minimum two years | Maximum one year |
| Mild TBI without early seizures | | Maximum two years |
| Moderate TBI with early seizures | Minimum five years | Maximum one year |
| Severe TBI with or without early seizures | | Do not certify |

| Musculoskeletal | | |
|-------------------------------------------------------------------------------------------------------|----------------|----------------------------|
| Fixed Deficit of an Extremity | | |
| Condition | Waiting Period | Certification Period |
| Any fixed deficit of an extremity | | Maximum two years with SPE |
| A fixed deficit that affects the torso | | Do not certify |
| Not providing proof of SPE certification | | Do not certify |
| Limb impairment caused by a progressive disease | | Do not certify |
| Autonomic Neuropathy | | |
| Condition | Waiting Period | Certification Period |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Maximum two years |
| Cardiovascular autonomic neuropathy causing resting tachycardia or orthostatic blood pressures | | Do not certify |
| Condition associated with abnormal muscle of | activity | |
| Condition | Waiting Period | Certification Period |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Maximum two years |
| There is a present diagnosis of Myotonia, Isaac's syndrome or Stiff-man syndrome | | Do not certify |

| Congenital Myopathies | | |
|--------------------------------------------------|----------------|----------------------|
| Condition | Waiting Period | Certification Period |
| Any diagnosis of Congental Myopathy | | Do not certify |
| Metabolic Muscle Disease | | |
| Condition | Waiting Period | Certification Period |
| Any diagnosis of Metabolic Muscle Disease | | Do not certify |
| Motor Neuron Disease | | |
| Condition | Waiting Period | Certification Period |
| Any diagnosis of Motor Neuron Disease | | Do not certify |
| Neuromuscular Junction Disorders | | |
| Condition | Waiting Period | Certification Period |
| Any diagnosis of Neuromuscular Junction Disorder | | Do not certify |

| Diabetes Mellitus | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------|
| Condition | Waiting Period | Certification Period |
| Has a treatment plan that manages the disease; does not include insulin usage or interfere with safe driving | | Maximum two years |
| Previous 12 months, experienced a hypoglycemic reaction resulting in: • Seizure. • Loss of consciousness. • Need of assistance from another person. • Period of impaired cognitive function that occurred without warning. | | Do not certify |
| Previous five years, had two or more disqualifying hypoglycemic reactions | | Do not certify |
| Loss of position or pedal sensation | | Do not certify |
| Resting tachycardia or orthostatic hypotension | | Do not certify |
| A diagnosis of peripheral neuropathy or proliferative retinopathy | | Do not certify |
| Nephropathy | | |
| Condition | Waiting Period | Certification Period |
| Driver has a treatment plan that manages the disease | | Maximum certification two years |
| Medical condition of the driver endangers the health and safety of the driver and the public. | | Do not certify |

| Incretin Mimetic Therapy | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----------------------------------------------------------|
| Condition | Waiting Period | Certification Period |
| Meets all physical qualification standards | | Maximum one year |
| Medical condition of the driver endangers the health and safety of the driver and the public. | | Do not certify |
| Insulin Therapy | | |
| Condition | Waiting Period | Certification Period |
| Previous diagnosis and on treatment that di not include the use of insulin | Minimum one month | Maximum one year if there is a Federal diabetes exemption |
| Newly diagnosed and on no prior treatment | Minimum two months | Maximum one year if there is a Federal diabetes exemption |
| Driver uses insulin | | Do not certify |
| Previous 12 months, experienced a hypoglycemic reaction resulting in: • Seizure. • Loss of consciousness. • Need of assistance from another person. • Period of impaired cognitive function that occurred without warning. | | Do not certify |
| Previous five years, had two or more disqualifying hypoglycemic reactions | | Do not certify |
| Loss of position or pedal sensation | | Do not certify |
| Resting tachycardia or orthostatic hypotension | | Do not certify |
| A diagnosis of peripheral neuropathy or proliferative retinopathy | | Do not certify |

| Oral Hypoglycemics | | |
|-------------------------------------------------------------------------------------------------------|----------------|----------------------|
| Condition | Waiting Period | Certification Period |
| Driver should have a treatment plan that does not include the use of insulin | | Maximum one year |
| Medical condition of the driver endangers the health and safety of the driver and the public | | Do not certify |
| Other Diseases | | |
| Hernia | | |
| Condition | Waiting Period | Certification Period |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Maximum two years |
| Medical condition of the driver endangers the health and safety of the driver and the public | | Do not certify |

| Psychological | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------------|
| Adult Attention Deficit Hyperactivity Disorder (ADHD) | | |
| Condition | Waiting Period | Certification Period |
| Driver complies with and tolerates treatment | | Maximum one year |
| Driver has an active psychosis or other prominent negative symptoms such as: Substantially compromised judgment. Attentional difficulties. Suicidal behavior or ideation. Personality disorder that is repeatedly manifested by overt, inappropriate acts. | | Do not certify |
| Bipolar Mood Disorder | | |
| Condition | Waiting Period | Certification Period |
| Symptom free following a nonpsychotic major depression unaccompanied by suicidal behavior | Minimum six months | Maximum one year |
| Symptom free following a severe depressive episode, a suicide or a manic episode | Minimum one year | Maximum one year |
| Tolerates treatment without disqualifying side effects | | Maximum one year |
| Driver has prominent negative symptoms: Substantially compromised judgment. Attentional difficulties. Suicidal behavior or ideation. Personality disorder repeatedly manifested by overt inappropriate acts. Active psychosis | | Do not certify |

| Major Depression | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------------|
| Condition | Waiting Period | Certification Period |
| Symptom free following a nonpsychotic major depression unaccompanied by suicidal behavior | Minimum six months | Maximum one year |
| Symptom free following a severe depressive episode, a suicide or a manic episode | Minimum one year | Maximum one year |
| Complies with and tolerates treatment | | Maximum one year |
| Driver has prominent negative symptoms: Substantially compromised judgment. Attentional difficulties. Suicidal behavior or ideation. Personality disorder repeatedly manifested by overt inappropriate acts. Active psychosis | | Do not certify |
| Personality Disorders | | |
| Condition | Waiting Period | Certification Period |
| Complies with and tolerates treatment | | Maximum one year |
| Driver has prominent negative symptoms: Substantially compromised judgment. Attentional difficulties. Suicidal behavior or ideation. Personality disorder repeatedly manifested by overt inappropriate acts. Active psychosis | | Do not certify |

| Schizophrenia and Related Psychotic Disorders | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------------|
| Condition | Waiting Period | Certification Period |
| Brief reactive psychosis or schizophreniform disorder | Minimum six months | Maximum one year |
| Free of any other psychotic disorder | Minimum one year | Maximum one year |
| Complies with and tolerates treatment | | Maximum one year |
| Driver has prominent negative symptoms: Substantially compromised judgment. Attentional difficulties. Suicidal behavior or ideation. Personality disorder repeatedly manifested by overt inappropriate acts. Active psychosis | | Do not certify |
| Any diagnosis of schizophrenia | | Do not certify |
| Antipsychotic Therapy | | |
| Condition | Waiting Period | Certification Period |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Maximum one year |
| Treatment side effects interfere with safe driving | | Do not certify |

| Electroconvulsive Therapy (ECT) | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------------|
| Condition | Waiting Period | Certification Period |
| Symptom free following a course of ECT | Minimum six months | Maximum one year |
| Complies with and tolerates treatment | | Maximum one year |
| Driver under goes maintenance ECT | | Do not certify |
| Treatment side effects interfere with safe driving | | Do not certify |
| Anxiolytic and Sedative Hypnotic Therapy | | |
| Condition | Waiting Period | Certification Period |
| The driver uses: Hypnotic, if the medication is: Short-acting (half-life of less than 5 hours). The lowest effective dose. Used for a short period of time (less than 2 weeks). Non-sedating anxiolytic. | | Maximum two years |
| Driver uses sedating anxiolytic | | Do not certify |
| Driver has symptoms or side effects that interfere with safe driving | | Do not certify |

| Antidepressant Therapy | | | |
|-------------------------------------------------------------------------------------------------------|----------------|----------------------|--|
| Condition | Waiting Period | Certification Period | |
| Medical condition of the driver does not endanger the health and safety of the driver and the public. | | Maximum one year | |
| Driver uses a first generation antidepressant | | Do not certify | |
| Has treatment effects or side effects that interfere with safe driving | | Do not certify | |
| Lithium Therapy | | | |
| Condition | Waiting Period | Certification Period | |
| Driver is asymptomatic | | Maximum one year | |
| Driver has lithium levels within the therapeutic range | | Maximum one year | |
| Driver has no impairment that interferes with safe driving | | Maximum one year | |
| Driver has disqualifying symptoms | | Do not certify | |
| Lithium levels that are not in the therapeutic range | | Do not certify | |
| Central Nervous System Stimulant Therapy | | | |
| Condition | Waiting Period | Certification Period | |
| No drug induced impairment | | Maximum one year | |
| No tendency to increase the dose | | Maximum one year | |
| Treatment side effects that interpere with safe driving | | Do not certify | |

| Drug Abuse and Alcohol | | | |
|------------------------------------------------------------------------------------|----------------|----------------------|--|
| Alcoholism | | | |
| Condition | Waiting Period | Certification Period | |
| No residual disqualifying physical impairment | | Maximum two years | |
| Successful completion counseling or treatment | | Maximum two years | |
| No disqualifying alcohol-related disorders | | Maximum two years | |
| Current clinical diagnosis of alcoholism | | Do not certify | |
| Signs of alcoholic illness or con-compliance with DOT alcohol conduct guidelines | | Do not certify | |
| Drug Abuse | | | |
| Condition | Waiting Period | Certification Period | |
| No residual disqualifying physical impairment | | Maximum two years | |
| Successful completion counseling or treatment | | Maximum two years | |
| Driver uses controlled substances | | Do not certify | |
| Amphetamines or narcotics | | Do not certify | |
| Driver uses any habit-forming drug for which the exception guidelines do not apply | | Do not certify | |
| Driver uses Methadone | | Do not certify | |
| Driver uses Marijuana | | Do not certify | |

MedPro 2014 | 757-419-3700 | 100 Constitution Drive, Virginia Beach, VA 23462